


Assignment - 4

Q1) write HTML and CSS for following using div.



< HTML >
 < Head >
 (Title) ss (title)

< style >

Table : tb , td {
 Border : 1px Solid Black ;
 Border - collapse : collapse ;

{

tb , td {
 Padding : 4px ;

Text - align : left : {

< style >
 < head >

Teacher's Signature _____

<Body >

<table border = "1" Cells pacing = "0" style = "width : 15% ">

<tr>

<th colspan = "3"> header (1th)

</tr>

<tr>

<table huge ht = "40%." Border "1"

Cellspacing style = "width : 14%.")

<td valign = "Top"> navigation

</td>

<td valign = "top"> Content <td>

<td valign = "top"> subbas.

</td>

<table>
</td>

<tr>

<table border = "1" Cellspacing = "0" style = "width : 15% ">

<th colspan = "3"> footer <th>

</th>

<tr>

</tr>

</table>
</Body> </html>

Q2) write HTML for the following table.

H1	H2	H3
	C2	
	C3	C4

```
<html>
  <head>
    <style>
```

```
table.tb, td {
border: 1px solid black;
border-collapse: collapse;
```

```
{
  tb, td {
padding: 4px;
text-align: left;
```

```
{
  </style>
  </head>
```

```
<body>
  <tr>
    <th> cell that span two
    column </th>
```

<td> to make a cell span more than one column use the column

attribute <td>

<table> style = "width : 100 % ">

<tr>
 <td> h₁ </td>
 <td> h₂ </td>
 <td> h₃ </td>
 </tr>

<tr>
 <th colspan = "2">
 <th colspan = "2"> C₂ </th>
 </tr>

<tr>
 <td> C₃ </td>
 <td> C₄ </td>
 </tr>

</table>
 </body>
 </html>

Q3) write a program to display count from 5 to 15 using PHP loop as given below

Ans <? PHP
 { count = 5;
 while ({ count <= 15)

{
 Echo { count } ;
 Echo "
 " ;
 } count ++ ;

{
? >

Q4.) write a program in JavaSupt for unit conversion from Kilometer (km) to centimeter (cm) use of message box is necessary.

```
Ans # include <stdio.h>
      int main ()
```

```
{
```

```
    Double kilometer = 4
```

```
    Double centimeter
```

```
    Centimeter = 100000 * kilometers
```

```
    printf ("Blue of a Kilometer in Centimeter is,
    "Centimeter);
```

```
    Return 0;
```