

[ASSIGNMENT HTML]

<html>

<style>

td {

height : 200px;

width : 100px;

text-align : center;

}

</style> <body>

<table border = "1px">

<tr>

<th colspan = "3"> Header </th>

<tr>

<td> Navigation </td> <td> Content

</td> .

<td> Side bar </td>

</tr>

<th colspan = "3"> Footer </th>

</body>

</html> .

Header		
Navigation	Content	Side bar
Footer		

<html>

<title> table. html </title>

<body>

<table border = "1px">

<tr>

<td> h₁ </td>

<td> h₂ </td>

<td> h₃ </td>

</tr>

<tr>

<td rowspan = "2"> </td>

<td colspan = "2"> </td>

</tr>

<tr>

<td> 3 </td> <td> 4 </td>

</tr>

</table>

</body>

</html>

Q:- Write a program to display count from 5 to 15 using PHP Loop:-

Ans

```
<? php
```

```
$a = 5;
```

```
while ($a <= 15)
```

```
{ echo "$a";
```

```
echo "<br>";
```

```
$a++;
```

```
}
```

```
?>
```

Q. Write a program in JavaScript for unit conversion from km to m using message box, is necessary?

```
<!DOCTYPE html>
```

```
<html>
```

```
<title> Kilometer to m length converter
```

```
</title>
```

```
<body>
```

```
<h2> length converter </h2>
```

```
<p> Type a value in the Kilometers field to convert the value to m: </p>
```

```
<p>
```

```
<label> Kilometers </label>
```

```
<input id = "inputkilometers" type = "number"
placeholder = "kilometers"
```

```
oninput = "length converter (this.value)"
```

```
onchange = "length converter (this.value)">
```

```
</p>
```

```
<p> (m: <span id = "output(m)"> </span>
```

```
</p>
```

```
<script>
```

```
function length converter (valNum) {
document. get Element By Id ("output(m)"). inner
HTML = valNum * 100000;
}
```

```
</script>
```

```
</body>
```

```
</html>
```